



 Lexmark™

---

## Lexmark XC2326

Productivity. Reliability. Security.

---



# Lexmark XC2326

Small workgroup colour versatility is easy to deploy and share with the compact, lightweight Lexmark XC2326 multifunction. It combines printing at up to 24 ppm\* with automatic scanning at up to 90 images per minute plus copying and faxing. Take control with a 7.2 cm touch screen and connect via Wi-Fi and more.

## Compact colour versatility

- ▶ Get rich, vibrant colour output or copies at up to 24 pages per minute\*, plus automatic two-sided scanning at up to 90 images per minute.
- ▶ Tackle your workload with the power of a 1-GHz dual-core processor and 1 GB of memory.
- ▶ Compact dimensions of 344.4 mm high x 411.2 mm wide x 394.1 mm deep help it fit almost anywhere.
- ▶ Analogue fax provides additional document sending and receiving options.



## Connect and command

- ▶ Connect via dual-band Wi-Fi, Gigabit Ethernet, or USB.
- ▶ Simplify mobile printing with the Lexmark Mobile Print app, Mopria®, and AirPrint.
- ▶ Take command of device settings and monitor vital system functions on a 7.2 cm colour touch screen.
- ▶ Built-in cloud connectors let you securely save scans to

and retrieve files from popular cloud services Box, DropBox, Google Drive, and Microsoft OneDrive.

## Sustained output, enduring quality

- ▶ Genuine Unison™ replacement toner offers up to 6,000/5,500 pages (colour/mono)\*\* of rich, vibrant colour for more printing and less downtime.
- ▶ Single-piece cartridge simplifies supply replacement for fewer interruptions.
- ▶ Optional input trays increase total input capacity to 751 sheets to support longer print runs and enhanced media flexibility.
- ▶ A steel frame and lifetime imaging components mean long life and minimal maintenance.

## Robust, built-in security

- ▶ Lexmark's full-spectrum security architecture helps keep your information safe—in the document, on the device, over the network, and everywhere in between.


## Save paper, save energy

- ▶ Automatic two-sided printing is standard.
- ▶ Built-in energy-saving modes help support ratings of EPEAT® Silver and ENERGY STAR® certified.
- ▶ The Lexmark Cartridge Collection Programme (LCCP) and Lexmark Equipment Collection Programme (LECP) minimise waste and support recycling (availability varies by country).

\* Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).

\*\* Average continuous black or continuous composite colour (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See [www.lexmark.com/yields](http://www.lexmark.com/yields) for more information.

# Lexmark XC2326



- 1 **Multifunction product with 7.2 cm touch screen**  
344.4 x 411.2 x 394.1 mm
- 2 **250-Sheet tray**  
Inkluderede dimensioner er en del af basismodellen
- 3 **Papirmagasin til 250 ark**  
103.9 x 411.2 x 381.0 mm

- 4 **Papirmagasin til 250 ark**  
103.9 x 411.2 x 381.0 mm



**P/N** **Hardware**  
40N9392 Lexmark XC2326

**P/N** **Tilbehør**  
24B7499 Lexmark C/XC2326 Cyan 6K Print Cartridge  
24B7500 Lexmark C/XC2326 Magenta 6K Print Cartridge  
24B7501 Lexmark C/XC2326 Yellow 6K Print Cartridge  
24B7502 Lexmark C/XC2326 Black 5.5K Print Cartridge

**P/N** **Papirhåndtering**  
40N4250 Papirmagasin til 250 ark

**P/N** **Tilslutning**  
1021294 USB-kabel (3 m.)

**P/N** **Furniture**  
40C2300 Justerbart stativ

Supports up to two optional 250-sheet trays.

All measurements are shown as height x width x depth. For more information about supported configurations, refer to the Printer, Option and Stand Compatibility Guide at [http://www.lexmark.com/publications/furniture\\_safety/](http://www.lexmark.com/publications/furniture_safety/)

Udskrivning	
Display	2.8 inch (7.2 cm) LCD touch panel
Udskriftshastighed	Op til: Sort: 24.7 sider/min <sup>1</sup> (A4) / Farve: 24.7 sider/min <sup>1</sup> (A4)
Tid indtil første side	Sort: 10.8 sekunder / Farve: 11 sekunder
Printopløsning	Sort: 4800 Farvekvalitet (2400 x 600 dpi), 600 x 600 dpi / Farve: 4800 Farvekvalitet (2400 x 600 dpi), 600 x 600 dpi
Memory / Hukommelse / Hukommelse i netværksmodel	Standard: 1 GB / Maximum: 1 GB / Standard: 1024 MB / Maksimum: 1024 MB
Harddisk	Ikke tilgængeligt
Anbefalet volumen pr. måned	750 - 5000 Sider <sup>2</sup>
Maks. månedlig belastning	Op til: Duty Cycle: 75000 sider/måned <sup>3</sup>
Kopiering	
Kopieringshastighed	Op til: Sort: 24.7 sider/min. <sup>1</sup> (A4) / Farve: 24.7 sider/min. <sup>1</sup> (A4)
Tid indtil første kopi	Sort: 12.1 sekunder / Farve: 13.3 sekunder
Scanning	
Scanner type / ADF Scan	Flatbed scanner med ADF / DADF (single pass Duplex)
A4/Letter Dupleks scanningshastighed	Op til: Sort: 90 / 96 sider/ min. / Farve: 40 / 42 sider/ min.
A4/Letter Scanningshastighed	Op til: Sort: 45 / 48 sider/ min. / Farve: 20 / 21 sider/ min.
Kopier/Fax/Scan	Op til: Papirinput kapacitet: 50 sider med 20 lb eller 75 g/m <sup>2</sup> tykt papir (ADF)
Faxning	
Modemhastighed	Max is 33,600 bps, V.34 Half-Duplex Kbps
Tilbehør <sup>4</sup>	
Ydelse for tonerkassetter	op til: 6,000 <sup>5</sup> -page Color (CMY) High Yield Cartridges / op til: 5,500 <sup>5</sup> -page Black High Yield Cartridge
Kassette(r) leveres med produkt	1.500 <sup>5</sup> sider sort Return Program tonerkassette, 1.500 <sup>5</sup> sider Return Program farvetonerkassetter
Papirhåndtering	
Papirhåndtering	Standard: 100-Sheet Output Bin, Integreret Duplex, Manuel arkføder til enkeltark, Integreret papirmagasin til 250 ark
Papirhåndtering	Ekstra tilbehør: 250-arks skuffe
Papirinput kapacitet	Op til: Standard: 250+1 sider med 20 lb eller 75 g/m <sup>2</sup> tykt papir / Maksimum: 750+1 sider med 20 lb eller 75 g/m <sup>2</sup> tykt papir
Papiroutput kapacitet	Op til: Standard: 100 sider med 20 lb eller 75 g/m <sup>2</sup> tykt papir / Maksimum: 100 sider med 20 lb eller 75 g/m <sup>2</sup> tykt papir
Understøttede medietyper	Hagaki-kort, Card Stock, Almindeligt papir, Kuverter, Glossy papir, Refer to the Paper & Specialty Media Guide
Understøttede mediestørrelser	A6, Oficio, 7 3/4 konvolut, 9 konvolut, JIS-B5, A4, Legal, A5, Hagaki kort, Brev, B5 konvolut, Udmelding, C5 konvolut, Executive, Universel, DL konvolut, Folio, 10 konvolut
Generelt <sup>6</sup>	
Standard tilslutning	Gigabit Ethernet (10/100/1000), 802.11ac Wireless, Foran: USB 2.0 Hi-Speed stik kompatibel med 2.0-specifikation (Type A), USB 2.0 Specifikation Hi-Speed Certified (Type B)
Lydniveau ved i brug	51/52 dBA (Udskrivning) / 56 dBA (Kopiering) / 55 dBA (Scanning)
Påkrævet driftsmiljø	Fugtighed: 8 til 80% Relativ fugtighed / Højde: 0-3.048 meter / Temperatur: 10 til 32 ° C (50 til 90 ° F)
Størrelse / Vægt	H x B x D: 344.4 x 411.2 x 394.1 mm / 19.4 kg
ENERGY STAR Typical Electricity Consumption	TEC: 0.37 kilowatt-hours per week

Alle oplysningerne kan ændres uden varsel. Lexmark er ikke ansvarlig for eventuelle fejl eller udeladelser.

<sup>1</sup> Udskrivnings- og kopieringshastigheder målt i henhold til henholdsvis ISO / IEC 24734 og ISO / IEC 24735 (ESAT). For mere information se: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).

<sup>2</sup> "Anbefalet månedlig sidevolumen" er en række sider, der hjælper kunder med at evaluere Lexmarks produkttilbud baseret på det gennemsnitlige antal sider, som kunderne planlægger at udskrive på enheden hver måned. Lexmark anbefaler, at antallet af sider pr. Måned ligger inden for det angivne område for optimal enhedens ydeevne, baseret på faktorer, herunder: leveringsintervaller, papirindlæsningsintervaller, hastighed og typisk brug af kunder. <sup>3</sup> "Maksimal månedlig arbejdscyklus" defineres som det maksimale antal sider en enhed kan levere i en måned ved hjælp af en multishift-operation. Denne beregning giver en sammenligning af robusthed i forhold til andre Lexmark-printere og multifunktionsmaskiner. <sup>4</sup> Produktfunktioner kun med udskiftningspatroner designet til brug i en bestemt geografisk region. Se [www.lexmark.com/regions](http://www.lexmark.com/regions) for flere detaljer.

<sup>5</sup> Gennemsnits-yield ved cirka 5 % udskriftsdækning pr. farve. <sup>6</sup> Printere sælges under visse licens / aftaleforhold. Se [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for detaljer.